

VERSION WITH MARKINGS TO SHOW CHANGES MADE

Please amend claims 1, 6, 7, 9, 11, 15 and 18 as follows:

1. (amended) A head massaging device comprising:
 - a plurality of resilient fingers, said fingers each having a free end and an opposite end, said opposite ends being coupled together; and
 - an electric vibrator coupled to said opposite ends whereby vibrations generated by said electric vibrator are transmitted from said opposite ends through said fingers to said free ends;
 - said fingers defining a head-receiving space for receiving a head, said space extending between said free ends and said opposite ends and having an opening at one end formed by a juxtaposition of said free ends of said fingers, said opening being smaller than said head, and at least a portion of said head-receiving space having a circumference which exceeds a circumference of said opening whereby, in use, when said device is lowered onto said head so that said head enters said head-receiving space through said opening, said free ends of said fingers apply pressure to and thus massage said head.

6. (amended) The device according to claim ~~5~~ 1 further including a handle for gripping said massaging device, said handle receiving said opposite ends of said fingers and housing ~~which is disposed said electric vibrator vibrating means, said handle facilitating gripping and manipulation of said massaging device.~~

7. (amended) A head massaging device including at least:
 - a plurality of resilient and pliable fingers, said fingers each having a free end and an opposite end;
 - a ^o vibrator coupled to said opposite ends whereby vibrations generated by said vibrator are transmitted along said fingers from said opposite ends to said free ends; and
 - said fingers defining a self-supporting head-receiving space for receiving a head, said space extending between said free ends and said opposite ends and having a self-maintained opening at one end formed by a juxtaposition of said free ends of said fingers, said opening being of a circumference smaller than a circumference of said head, whereby

VERSION WITH MARKINGS TO SHOW CHANGES MADE

said head can fit inside said space with said free ends in contact with said head, and at least a portion of said head-receiving space having a circumference which is greater than said circumference of said opening whereby, in use, when said device is lowered on to said head so that said head enters said head-receiving space through said opening, said free ends of said fingers apply pressure to and thus massage said head.

9. (amended) The device according to claim 8, wherein each said free end is terminated in a bulb or ball-like structure.

11. (amended) The device according to claim 10, wherein said fingers are ~~electrically~~ electrically conductive.

15. (amended) A head massaging device including at least:
a plurality of resilient fingers, said fingers each having a free end and an opposite end;
~~resilient and pliable fingers, said fingers each having a free end and an opposite end;~~
a vibrator coupled to said opposite ends whereby vibrations generated by said vibrator are transmitted along said fingers from said opposite ends to said free ends;
and a handle for receiving said opposite ends and in which is disposed said vibrator;
each of said fingers having a transversely extending portion immediately adjacent the handle, each said transversely extending portion being followed by a contiguous portion extending downwardly and inwardly from said transversely extending portion, said contiguous portion terminating in said free end, said intermediate length and continuous length of said fingers together defining a head-receiving space for receiving a ~~space~~ head, said space extending between said free ends and said opposite ends and having an opening at one end formed by a juxtaposition of said free ends of said fingers, said opening having a circumference smaller than a circumference of said head, and at least a portion of said head-receiving space having a circumference which exceeds said circumference of said opening whereby, in use, when said device is lowered on to said head so that said head enters said head-receiving space through said opening, said free ends of said fingers apply pressure to

VERSION WITH MARKINGS TO SHOW CHANGES MADE

and thus massage said head.

18. (amended) The device according to claim 17, wherein each said free end is terminated in a bulb or ball-like structure.